

Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

□□Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Tue, 18 Jul 2006, 1:17:57 PM EST

Search Query Display

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recen	Results	
<u>#1</u>	((pulse <near> width <near> modulator and dual <near> slope <near> integrator)<in>metadata)</in></near></near></near></near>	0
<u>#2</u>	((pulse <near> width <near> modulator)<in>metadata)</in></near></near>	448
<u>#3</u>	((((pulse <near> width <near> modulator)<in>metadata))<and> (dual-slope <near> integrator<in>metadata))</in></near></and></in></near></near>	0
<u>#4</u>	((((pulse <near> width <near> modulator)<in>metadata))<and> (setting <near> duty <near> cycle<in>metadata))</in></near></near></and></in></near></near>	1
<u>#5</u>	((((pulse <near> width <near> modulator)<in>metadata))<and> (setting <near> duty <near> cycle<in>metadata))</in></near></near></and></in></near></near>	1
<u>#6</u>	(((pulse <near> width <near> modulator)<in>metadata))</in></near></near>	448
<u>#7</u>	(((((pulse <near> width <near> modulator)<in>metadata))) <and>(solenoid<in>metadata))</in></and></in></near></near>	1
<u>#8</u>	(((((pulse <near> width <near> modulator)<in>metadata))) <and>(solenoid<in>metadata))</in></and></in></near></near>	1



(margarit <near> sandu)<in>authore

(margarit <near> sandu)<in>author

(margarit and sandu<in>au)

#9

<u>#10</u>

#11



Help Contact Us Privacy & Security IEEE.org
© Copyright 2006 IEEE – All Rights Reserved

0



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

IEEE XPLORE GUIDE **BROWSE** □ Search Results **SEARCH** SUPPORT Results for "((((pulse <near> width <near> modulator)<in>metadata))<and>(setting <near..." e-mail printer friendly Your search matched 1 of 1373978 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** (((((pulse <near> width <near> modulator)<in>metadata))<and>(setting <near> duty < **New Search** Check to search only within this results set » Key Display Format: IEEE Journal or IEEE JNL Magazine view selected items Select All Deselect All IEE Journal or Magazine **IEE JNL** IEEE CNF IEEE Conference Proceeding 1. Automated test system for the characterization of switching regulators using VXI instrumentation IEE Conference **IEE CNF** Proceeding Lazaro, A.M.; Sanchez, F.; Ramos, R.; Guinjoan, F.; Instrumentation and Measurement Technology Conference, 1996. IMTC-96. Conference IEEE STD IEEE Standard Proceedings. 'Quality Measurements: The Indispensable Bridge between Theory and Reality'... Volume 1, 1996 Page(s):187 - 191 vol.1

> Digital Object Identifier 10.1109/IMTC.1996.507372 AbstractPlus | Full Text: PDF(460 KB) | IEEE CNF

Rights and Permissions

indexed by Inspec Help Contact Us Privacy & Security IEEE.org © Copyright 2006 IEEE - All Rights Reserved



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT □□ Search Results Results for "(((((pulse <near> width <near> modulator)<in>metadata)))<and>(solenoid<in..." e-mail Aprinter triendity Your search matched 1 of 448 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search New Search** (((((pulse <near> width <near> modulator)<in>metadata)))<and>(solenoid<in>metada Check to search only within this results set » Key Display Format: © Citation © Citation & Abstract **IEEE JNL** IEEE Journal or Magazine view selected items Select All Deselect All **IEE JNL** IEE Journal or Magazine IEEE Conference **IEEE CNF** Proceeding 1. Cathodic arc modulator systems for metallic plasma ion implantation IEE Conference Reass, W.A.; Wood, B.P.; **IEE CNF** Power Modulator Symposium, 1996., Twenty-Second International Proceeding

25-27 June 1996 Page(s):89 - 92

Rights and Permissions

Digital Object Identifier 10.1109/MODSYM.1996.564458 AbstractPlus | Full Text: PDF(844 KB) | IEEE CNF

indexed by inspec'

IEEE STD IEEE Standard

Help Contact Us Privacy & Security IEEE.org © Copyright 2006 IEEE - All Rights Reserved

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	501	700/295,296,297.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 10:29
L2	28	1 and (PWM pulse adj width adj modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 13:38
L3	13	2 and duty adj cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 10:50
L4	1	3 and (dual adj slope adj integrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 10:31
L5	13	2 and duty adj cycle and current\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 10:49
L6	9	1 and (PWM pulse adj width adj modulation) near10 current\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 10:50
L7	8	6 and duty adj cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 11:05
L8	0	6 and setting near10 duty adj cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 10:52
L9	0	6 and setting near10 (duty adj cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 10:52

			-	<u> </u>		
L10	160	dual adj slope adj integrator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 11:05
L11	1	(dual adj slope adj integrator) near10 average near2 current\$1 near10 duty adj cycle\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 11:07
L12	2	(dual adj slope adj integrator) near10 average near2 current\$1 and duty adj cycle\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 11:08
L13	4	(dual adj slope adj integrator) and average near2 current\$1 and duty adj cycle\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:25
L14	9	(dual\$1 adj slope adj integrator) and solenoid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:52
L15	2	(dual\$1 adj slope adj integrator) and solenoid and average near current\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:26
L16	2	(dual\$1 adj slope adj integrator) and solenoid and average near current\$1 and duty near cycle\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:27
L17	1546	(pulse with width with provid\$3 with current\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:53
L18	0	(pulse with modulator with provid\$3 with current\$1) and (dual-slope dual near slope) near integrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:54
L19	0	(pulse with modulator with provid\$3 with current\$1) and (dual-slope dual near slope) near integrator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:54

						<u> </u>
L20	0	(pulse with modulator with provid\$3 with current\$1) and (dual-slope dual near slope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:55
L21	10	(pulse with modulator with provid\$3 with average with current\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:55
L22	2	(pulse with modulator with provid\$3 with current\$1) and solenoid and duty near cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 12:57
L23	2	(pulse near5 modulator near10 provid\$3 near10 current\$1) and solenoid and duty near cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 13:18
L24	1	(sandu near margarit).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 13:38
L25	11	1 and (PWM pulse adj width adj modulation) near15 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 13:39
L26	3	("4801874").URPN.	USPAT	OR	ON	2006/07/18 13:43
L27	0	("2002/0050579").URPN.	USPAT	OR	ON	2006/07/18 14:12
L28	689	375/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:28
L29	58	28 and (setting control\$4) near10 (duty near cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:28
L30	0	28 and (setting control\$4) near10 (duty near cycle) and (dual\$1 near2 slope near2 integrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:29

L31	3	28 and (setting control\$4) near10 (duty near cycle) and (solenoid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:29
L32	2	28 and (setting control\$4) near10 (duty near cycle) and (solenoid) and average near10 current\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:29
L33	372	332/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:30
L34	37	33 and (setting control\$4) near10 (duty near cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:30
L35	0	33 and (setting control\$4) near10 (duty near cycle) and (dual\$1 near2 slope near2 integrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:30
L36	1	33 and (setting control\$4) near10 (duty-near cycle) and (solenoid)	US-PGPUB; USPAT; USOCR;	OR	ON	2006/07/18 14:30
			EPO; JPO; DERWENT			
L37	1	33 and (setting control\$4) near10 (duty near cycle) and (solenoid) and average near10 current\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:30
L38	906	(388/819,804,811).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:30
L39	133	38 and (setting control\$4) near10 (duty near cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:30
L40	0	38 and (setting control\$4) near10 (duty near cycle) and (dual\$1 near2 slope near2 integrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:30

L41	5	38 and (setting control\$4) near10 (duty near cycle) and (solenoid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON `	2006/07/18 14:30
L42	2	38 and (setting control\$4) near10 (duty near cycle) and (solenoid) and average near10 current\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/18 14:31